

Stamps
Cathy x 152

Using Probes

Outside Temp: 70°F Plant Granville Pallet Co Date 7/23/02

Largest Piece: 1 7/8" x 4" Start: _____ Stop: _____

Approx. 140 Fin. Run

Thermocouple	15 F	30 B 8 F	45	60	75	90	105	120
10	72	97	109	112	120	125	132	136
92	115	115	117	113	116	111	127	145
13								
23	70	85	94	96	105	109	115	118
04	68	79	83	88	95	100	104	112
05	68	72	80	84	92	96	100	107
06	69	77	82	88	92	97	102	109
02	68	78	83	89	94	99	104	111
08	69	78	84	90	95	101	106	112
09	69	81	89	95	100	105	109	115
11	72	154	158	165	171	179	190	181
12	75	157	162	169	172	168	183	184

(11.1 in. diameter)

4/23/02

Date

Plant Greenville Plant Co.

Start: _____ Stop: _____

Thermocouple	135	150	165	180	195	210	225	240
1	142	136	142	147	151	153	150	154
2	168	190	199	190	201	207	239	242
3	124	126 124	131	133	137	140	139	142
4	115	119	123	126	130	134	135	137
5	110	114	118	122	125	129	132 <small>-133 after 3 measurements</small>	134
6	113	117	121	124	128	132	135	137
7	115	119	124	127	130	134	136	139
8	117	120	125	128	131	134	136	138
9	120	122	127	130	134	137	137	139
0	189	172	193	196	199	203	204	197
Dry Bulb								
Neworder	193	173	197	199	204	199	200	200

D.D.
*

1	B	T	0
	0	0	0
3	T ₃	0	M ₄
	0	0	0
5	0	B ₅	0
	0	0	0
7	0	0	T ₆
8	M ₇	M ₈	0
	0	0	0
10	0	0	B ₉

Doors